Serial No. 10/668,079 Applicant: Ours et al. Date Filed: 09/22/2003 Attorney No.: 60,527-037

**LISTING OF CLAIMS:** 

The following listing of claims will replace all prior versions, and listings, of claims in

the application.

Claims 1-18. (Cancelled).

19. (Currently Amended). A method for cutting open a case of product having a top

and a bottom including the steps of:

placing the case on a first end of a conveyor belt;

moving the case to a top cutting apparatus using the conveyor belt;

cutting open the top of the case;

moving the case to a lift apparatus using the conveyor;

opening the top of the case;

lifting the product from the bottom of the case;

cutting the case thereby separating the bottom of the case from the top of the

case; and,

returning the product to the separated bottom of the case.

20. (Currently Amended). A method, as set forth in claim 19, wherein the step of

cutting open the case includes the step of cutting the top of the box case along first and second

opposite sides of the top of the case.

Serial No. 10/668,079 Applicant: Ours et al. Date Filed: 09/22/2003 Attorney No.: 60,527-037

- 21. (Currently Amended). A method, as set forth in claim 20, wherein the step of cutting open the case includes the step of cutting top cutting the top of the box from the first opposite side to the second opposite side.
- 22. (Currently Amended). A method for cutting open a case of product having a top and a bottom, including the steps of:

placing the case on a first end of a conveyor belt;
moving the case to a first top cutting apparatus using the conveyor belt;
cutting the top of the case along opposite sides of the top of the case;
moving the case to a second top cutting apparatus using the conveyor belt;
cutting the top of the case between the opposite sides;
moving the case to a lift apparatus using the conveyor;
opening the top of the case;

lifting the product from the bottom of the case; and,

cutting the case thereby separating the bottom of the case from the top of the

case; and,

returning the product to the separated bottom of the case.

- 23. (Cancelled).
- 24. (Cancelled).

Serial No. 10/668,079 Applicant: Ours et al. Date Filed: 09/22/2003 Attorney No.: 60,527-037

top in a generally H-shaped pattern,

25. (Previously Presented). A method of cutting open a case having a top and a bottom and containing product comprising the steps of:

cutting open the top of the case, removing the product from the case through the open top,

cutting the bottom of the case,
separating the bottom from the case, and
returning the product to the separated bottom.

26. (Currently Amended). A method of cutting open a case comprising the steps of: cutting the top of the case along fast first and second sides, cutting the top of the case between the first and second sides thereby cutting the

opening the top of the case,
lifting product from the case through the open top thereof,
separating the bottom of the remainder of the case, and
returning product to the separated bottom.